

# मंगलूर रिफाइनरी एण्ड पेट्रोकेमिकल्स लिमिटेड

## MANGALORE REFINERY AND PETROCHEMICALS LIMITED

अनुसूची 'अ' के अंतर्गत भारत सरकार का उद्यम SCHEDULE 'A' GOVT. OF INDIA ENTERPRISE. (ऑयल एण्ड नेचुरल गैंस कॉरपोरेशन लिमिटेड की सहायक कंपनी A SUBSIDIARY OF OIL AND NATURAL GAS CORPORATION LIMITED)

Regd. Office

सीआईएन/CIN: L23209KA1988GO1008959 पंजीकृत कार्यालय : कुत्तेतुर पोस्ट, वाया काटीपल्ला मंगलूरु - 575 030 (भारत) दूरभाष 0824-2270400, फैक्स: 0824-2271404, E-mail:mrpImIr@mrpl.co.in : Kuthethoor P.O. Via Katipalla, Mangaluru - 575 030 (India) Tel.: 0824-2270400 Fax: 0824-2271404 Website: www.mrpl.co.in

आई.एस.ओ. 9001, 14001 एवं 50001 प्रमाणित कंपनी AN ISO 9001, 14001 AND 50001 CERTIFIED COMPANY

L/MS/MoEF&CC/6739 11th February, 2022

The Director Ministry of Environment, Forest & Climate Change, 4th Floor, E&F Wing, Kendriya Sadan, Koramangala, Bengaluru – 560 034

Dear Sir,

विषय Subject:- Submission of Compliance to the Environmental Clearance along with monitoring data

Please find enclosed herewith point wise compliance to the following Environmental Clearance issued to MRPL by Ministry of Environment, Forest & Climate Change (MoEF & CC), New Delhi.

1. Letter No. 10-49/2009-IA.III dated 1st April, 2011 (SPM Project)

Also environment monitoring data of SPM area in Annexure-I and Annexure-II, for November-2020 is enclosed.

धन्यवाद Thanking You,

भवदीय Yours sincerely.

मंगलूर रिफाइनरी एंड पेट्रोकेमिकल्स लिमिटेड

For Mangalore Refinery & Petrochemicals Limited.

एम.एस स्दर्शन M.S Sudarsan

मुख्य महा प्रबंधक (स्वास्थ्य, संरक्षा एवं पर्यावरण)

Chief General Manager (Health, Safety and Environment)

Encl: As above

Cc: Zonal Office, CPCB, Bengaluru Head Office, KSPCB, Bengaluru Regional Office, KSPCB, Manglore

बेंगलूरु कार्यालय ः प्लाट नं. A-1, - के .एस.एस.आई.डी.सी. प्रशासनिक कार्यालय भवन के सामने, इंडस्ट्रीयल एस्टेट, राजाजीनगर, बेंगलूरु -560 010

Bengaluru Office: Plot A-1, Opp. KSSIDC A. O. Building, Industrial Estate, Rajajinagar, Bengaluru - 560 010.

दूरभाष : Tel: (का.) (O) 080-22642200, फैक्स Fax : 080 - 23505501

दिल्ली कार्यालय : कोर-8,7वीं मंजिल, स्कोप कांप्लेक्स, लोधी रोड, नई दिल्ली- 110003 दूरभाष: 011-24306400, फैक्स: 011-24361744 Delhi Office : Core-8,7th, Floor SCOPE Complex, Lodhi Road, New Delhi - 110003. Tel.: 011-24306400, Fax: 011-24361744

: मेकर टॉवर 'ई' विंग 15वां तल, कफ परेड, मुबंई - 400 005. दूरभाष: 022-22173000, फैक्स: 22173233 मुंबई कार्यालय

Mumbai Office : Maker Tower, 'E' Wing, 15th Floor, Cuffe Parade, Mumbai-400 005. Tel.: 022-22173000, Fax: 22173233

# Compliance to the Environmental Clearance for Single Point Mooring and storage facilities within New Mangalore Port Trust for MRPL issued by Ministry of Environment, Forests & Climate Change, New Delhi

# Letter No. 10-49/2009-IA.III dated 1st April, 2011

SI.	Postare conditions as per	Compliance
No.		
i	Consent for Establishment shall be	e Complied.
	obtained from State Pollution Contro	1
	Board	Consent for Establishment obtained from
		Karnataka State Pollution Control Board
		vide KSPCB letter No. KSPCB / HPI /-143
		/ CFEx /-2011-12 / 823 dated 20.01.2012
ii.	The Project shall be executed in such a	Noted and complied
	manner that there shall not be any	,
***	disturbance to the fishing activity.	
iii.	It shall be ensured that there is no	Noted and complied.
	displacement of people, houses or fishing	priod.
	activity as a result of the project.	
iv.	Regular Mock Drills shall-be conducted	Regular Mock Drills w.r.t. SPM are being
	to check the effectiveness of the on-site	conducted in coordination with Coast
	disaster Management Plan.	Guard and NMPT.
$V_{\bullet}$	Markers should be installed at every 30	Installing Markers at regular interval will
	m to indicate the position of the pipeline.	become a hindrance and safety hazard to
		fishing activity hence it not practical
		possible to implement.
vi.	The approval of the competent authority	Noted
	shall be obtained for adequacy of fire	
	fighting equipments etc.	
vii.	The smooth and safe operation of the	SCADA system is provided as a part of the
	system will be ensured by incorporating	project for smooth and safe operation.
	a computerized SCADA (Supervisory	oporation.
	control and Data Acquisition).	
viii.	During operation phase, proper	Noted and complied.
	precautions should be taken to avoid any	
	oil spills and no oily wastes shall be	
	discharged into the water bodies /	
	mangrove areas.	
ix.	Regular patrolling of the pipelines needs	Being conducted by the concerned officials
	to be done.	of MRPL.
х.	No construction work other than those	Noted and complied.
	permitted in Coastal Regulation Zone	
	Notification shall be carried out in	
	Coastal Regulation Zone Area.	
xi.	Oil spills if any shall be properly	Tier-I facility provided at SPM for
	collected and disposed as per the Rules.	combating Oil Spills, if any.
kii.	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A separate Environment Management Cell

	separate environmental management ce for effective implementation of th	
	stipulated environmental safeguard	e Chief General Manager (CGM).
	under the supervision of the Senio	
	Executive.	
xii		Noted.
	mangrove plantation / green belt in the	o Noted.
	project area.	
xiv	v. The fund earmarked for environmen	t Fund earmarked for Environment
	management plan shall be included in the	
	budget.	management is included in the budget.
7. (	General conditions as per MoEF Envi	ronmental Clearance
i.	Adequate provision for infrastructure	Noted and complied
	facilities including water supply, fuel and	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	sanitation must be ensured for	I .
	construction workers during construction	
	phase of the project to avoid any damage	
	to the environment.	
ii.	Appropriate measures must be taken while	Noted.
	undertaking digging activities to avoid any	
	likely degradation of water quality.	Proper measures taken while undertaking digging activities to avoid any likely
		degradation of water quality
iii.	The construction material shall be	Noted
	obtained only from approved quarries.	110104
iv.	Adequate precautions shall be taken	Noted
	during transport of the construction	Adequate precautions were taken during
	material so that it does not affect the	transport of the construction material so
	environment adversely.	that it does not affect the environment
		adversely.
$\mathbf{V}_{i^*_i}$	Full support shall be extended to the	Full co-operation is being extended to the
	officers of this Ministry / Regional office	Officers of the Ministry / Designation
	at Bengaluru by the project proponent	during their inspections
	during inspection of the project.	1
vi.	A six monthly monitoring report shall	Being submitted.
	need to be submitted by the project	
	proponents to the Regional office of this	
	Ministry at Bengaluru regarding	
	implementation of the stipulated	
Y THE	conditions.	
vii.	Ministry of Environment & Forests or any	Noted
	other competent authority may stipulate	
viii.	any additional conditions.	
v111.	The Ministry reserves the right to revoke	Noted
	this clearance if any of the conditions	
	stipulated are not complied with the	
ix	satisfaction of the Ministry.	
IX	In the event of a change in project profile	Fresh reference will be made in the event of
	of change in the implementation agency, a	any change.
	fresh reference shall be made to the	

	***	
	Ministry of Environment & Forests.	1,7,7
X	The project proponents shall inform the	Under the Nava Ratna Powers, ONGC
	Regional office as well as the Ministry,	Board on 22-07-2010 has approved the
	the date of financial closure and final	project including the Financial Closure.
	approval of the project.	
xi	A copy of the clearance letter shall be	Complied
	marked to concerned panchayat / local	
	NGO, if any, from whom any suggestion /	MARANA S
	representation has been made received while processing the proposal.	
xii	KSPCB shall display a copy of the	Dono by VCDCD
ΛΠ	clearance letter at Regional office, District	Done by KSPCB
	Industries Centre and Collector's	
	Tehsildar's office for 30 days.	
Oth	er conditions as per MoEF Environm	nontal Clauran as
8	These stipulations would be enforced	Noted Noted
	among others under the provision of	Noted
	Water Act, 1974, the Air Act 1981, the	
	Environment Act 1986, the Public	
	Liability Act, 1991 and EIA Notification	
	1994, including the amendments and rules	
	made thereafter.	
9	All other-Statutory Clearances such as the	All Statutory Clearances from the
	approvals for storage of diesel from Chief	concerned Competent Authority are
	Controller of Explosives, Fire Department,	obtained.
	Civil Aviation Department etc. as	
	applicable by the project proponents from	-
10	the respective competent authorities.	
10	The Project Proponent shall advertise in at	Complied.
	least two local Newspapers widely	
	circulated in the region. The advertisement should be made within 10	Advertised in two local News Papers dated
	days from the date of receipt of the	22.04.2011 and informed MoEF, Bangalore
	clearance letter and a copy of the same	Office vide our letter dated 26.04.2011.
	should be forwarded to the Regional office	
	of this Ministry at Bengaluru.	
11	Environmental clearance is subject to final	Noted
	order of the Hon'ble Supreme Court of	1,1000
	India in the matter of Goa Foundation Vs	
	Union of India in Writ Petition (Civil)	
	No.460 of 2004 as may be applicable to	
	the project.	
12	A copy of the clearance shall be sent by	Noted
	the proponent to concerned panchayat, if	
	any from whom suggestions /	
	representations, if any were received while	
12	processing the proposal.	
13	The proponent shall upload the status of	Being done
	compliance of the stipulated EC	

	conditions including results of the monitored data on their website and shall update the same periodically.	
14	The project proponent shall also submit monthly reports on the status of compliance of the stipulated EC Conditions including results of the monitored data to the respective office of MoEF, the respective Zonal office of CPCB and the SPCB.	
15	The environment statement for each financial year ending 31 <sup>st</sup> March in Form – V as is mandated to be submitted by the project proponent to the concerned SPCB as prescribed.	being submitted for each financial

.\_\_\_

#### ANNEXURE - I

TABLE 1. LATITUDE AND LONGITUDE OF THE FIVE SAMPLING STATIONS WITH RESPECT TO DEPTHS OF SPM, MRPL AT ARABIAN SEA OFF PANAMBUR NMPT COAST.

Coordinates	~Depth (meters)
12°54' 03.2"N, 74°39'60.0" E	30.0
12°56' 00.2"N, 74°47'02.6" E	11.0
	13.0
	18.0
	19.0
	29.0




Fig. 1 SPM OF MRPL SAMPLING LOCATIONS IN THE ARABIAN SEA OFF PANAMBUR NMPT COAST.

#### **ANNEXURE - II**

TABLE 2.1. PHYSICO-CHEMICAL AND BIOLOGICAL PARAMETERS AT SURFACE (S) AND SUBSURFACE STATIONS (SS) (1-5) OF NEAR SPM AREA OF M/S. MRPL IN THE ARABIAN SEA OFF PANAMBUR NMPT COAST ON 30 NOV. 2020

S.No.	Parameters / Unit	Location	Stations				
3.140.		Location	1	2	3	4	5
1.	Matertame (9C)	Surface	29.1	28.9	27.5	27.7	27.6
	Water temp. (°C)	*Subsurface	28.8	28.7	27.3	27.5	27.5
2.	pH at 25°C	Surface	8.05	8.14	8.32	8.17	8.20
	pirat 23 C	*Subsurface	8.03	8.12	8.28	8.16	8.18
3.	Salinity (psu)	Surface	33.4	33.5	33.7	33.7	33.9
	Samily (psu)	*Subsurface	33.2	33.4	33.5	33.2	33.5
4.	DO (mg/L)	Surface	6.4	5.9	5.8	5.7	5.3
	DO (IIIg/L)	*Subsurface	5.0	5.1	5.0	4.9	5.1
5.	BOD <sub>3</sub> at 25°C (mg/L)	Surface	2.7	2.8	2.4	0.5	1.5
	BOD3 at 25 C (Hig/L)	*Subsurface	0.7	0.7	0.6	0.2	0.5
6.	COD (mg/L)	Surface	24.72	24.47	23.91	22.54	23.01
		*Subsurface	25.19	25.60	24.38	23.05	22.97
7.	Water Transparency	Surface	0.357	0.420	0.648	0.725	0.741
	Extinction co-efficient (m)	*Subsurface	NA	NA	NA	NA	NA
8.	TSS (mg/L)	Surface	14.5	10.9	7.2	5.4	4.0
	133 (IIIg/ L)	*Subsurface	16.0	13.2	6.7	6.5	6.3
9.	TDS (mg/L)	Surface	27200	26800	26600	26400	26400
	103 (IIIg/L)	*Subsurface	27000	26700	26600	26500	26400
10.	Ammonia-N (mg/L)	Surface	0.052	0.047	0.036	0.014	0.012
	Annionia-iv (ilig/L)	*Subsurface	0.073	0.061	0.040	0.010	0.0009
11.	Nitrite-N (mg/L)	Surface	0.06	0.05	0.03	0.004	0.03
	Nitrite-N (Ing/L)	*Subsurface	0.11	0.09	0.07	0.04	0.005
12.	Nitrate-N (mg/L)	Surface	1.4	1.2	0.7	0.3	0.1
	Mittate-N (Hig/L)	*Subsurface	1.9	1.5	0.4	0.1	0.1
13.	Phosphata B (mg/l)	Surface	0.04	0.06	0.04	0.04	0.04
	Phosphate-P (mg/L)	*Subsurface	0.07	0.07	0.06	0.05	0.04
14.	Silicate-SiO <sub>2</sub> (mg/L)	Surface	0.004	0.004	0.003	0.002	0.002
	Sincate-SiO <sub>2</sub> (Ilig/L)	*Subsurface	0.005	0.005	0.003	0.002	0.002
15.	Oil and grease (mg/L)	Surface	1.0	0.8	0.5	0.5	0.2
	On and grease (mg/L)	*Subsurface	0.6	0.4	0.2	0.1	0.1

<sup>\*</sup>Subsurface – 10 m depth; NA – Not Applicable

Water samples were collected using a Niskin bottle sampler and sediment samples using a Petersen grab. CTD (SBE 19 Plus V2 Sea CAT Profiler) was used to determine the temperature, salinity, dissolved oxygen. Nutrients and biological oxygen demand were estimated following the standard procedure suggested by Strickland and Parsons (1968) and Indian-standard (IS) 3025. For trace metal contamination in marine environment, chemical oxygen demand and oil and grease were estimated using APHA  $17^{th}$  edition 2017. The heavy metals in sediment were extracted using ultrapure HNO<sub>3</sub>, HClO<sub>4</sub> and H<sub>2</sub>O<sub>2</sub> acid digestion in microwave digester as per US EPA method. Final qualitative and quantitative analysis was carried out by Inductively Coupled Plasma with Mass Spectrophotometer, ICMS (Reference in Annexure I).

Table 2.2. MICROBIOLOGICAL ANALYSIS OF SEAWATER

		Microbiological analysis of seawater results				
Stations		Total coliforms (MPN per 100mL)	Fecal coliforms (MPN per 100mL)	Escherichia coli (per 100 mL)		
Ct 1	Surface	69	37	6		
St.1	*Subsurface	24	15	4		
C4 2	Surface	52	23	< 2		
St.2	*Subsurface	19	.8	< 2		
C+ 2	Surface	35	14	3		
St.3	*Subsurface	21	5	< 2		
C+ A	Surface	37	16	< 2		
St.4	*Subsurface	25	10	< 2		
C+ F	Surface	43	34	< 2		
St.5	*Subsurface	20	12	< 2		

<sup>\*</sup>Subsurface – 10 m depth; MPN – Most Probable Number; < 2 – considered as absent

## 2.3. SEDIMENT CHARACTERISTICS OF SEA BED

#### 2.3.1. TEXTURAL ANALYSIS OF THE SEDIMENT

Stations	Sand (%)	Silt (%)	Clay (%)
St. 1	2.6	0.0	97.4
St. 2	0.0	0.0	100
St. 3	0.0	0.0	100
St. 4	0.0	87.4	12.6
St. 5	0.0	0.0	100

# 2.3.2. ANALYSIS OF ORGANIC CARBON, TOTAL NITROGEN, TOTAL PHOSPHOROUS, AVAILABLE PHOSPHOROUS IN THE SEDIMENTS

Stations	Organic Carbon-(%)	Total Nitrogen as N (%)	Total P as P <sub>2</sub> O <sub>5</sub> (%)	Available P as $P_2O_5$ (kg/ha.)
1.	2.92	18.7	0.026	79.1
2.	1.47	17.3	0.021	65.3
3.	2.03	12.5	0.022	68.5
4.	0.45	11.8	0.015	32.9
5.	0.39	10.4	0.017	33.2

#### 2.3.3. ANALYSIS OF HEAVY METALS IN THE SEDIMENTS

Stations	Concentration in mg/kg dry weight basis						
	Zinc as Zn	Cadmium as Cd	Lead as Pb	Mercury as Hg	Iron as Fe		
St. 1	11.4	1.4	2.9	0.006	2.6		
St. 2	6.1	0.9	1.5	0.005	1.7		
St. 3	4.5	0.5	1.7	BDL (DL 0.005)	0.4		
St. 4	8.6	0.2	0.4	BDL (DL 0.005)	0.5		
St. 5	7.4	0.2	0.1	BDL (DL 0.005)	0.4		
Sediment q	uality guidelines	for trace metals (mg/	kg dry weight) f	rom NOAA (USA) and E	nvironment Canada.		
PEL	271	4.2	112	0.70	-NS		

PEL=Probable Effects level; NS- Not Specified

**Table 2.3.4 MICROBIOLOGICAL ANALYSIS OF SEDIMENTS** 

	Microbiological analysis of seawater results					
Stations	Total coliforms (MPN per 100mL)	Fecal coliforms (MPN per 100mL)	Escherichia coli (per 100 mL)			
St. 1	280	10	4			
St. 2	260	7	3			
St. 3	250	3	4			
St. 4	190	< 2	< 2			
St. 5	210	< 2	< 2			

<sup>\*</sup>Subsurface – 10 m depth; MPN – Most Probable Number; < 2 – considered as absent

Table 2.4 BIOLOGICAL PARAMETERS AT SPECIFIED FIVE STATIONS OF SEAWATER 2.4.1. CHLOROPHYLL – A CONTENT

Stations		Chlorophyll-a (μg/L)
St.1	Surface	0.56
31.1	*Subsurface	0.51
St.2	Surface	1.73
	*Subsurface	1.64
St.3	Surface	0.68
J1.5	*Subsurface	0.74
St.4	Surface	0.52
31.4	*Subsurface	0.85
C+ F	Surface	0.49
St.5	*Subsurface	0.60

## 2.4.3 PHYTOPLANKTON DIVERSITY (No/m³) AND BIOMASS (mg/m³)

S.No	Flora	Units	Station-1	Station-2	Station-3	Station-4	Station-5
DIATOR	MS						***************************************
1.	Asterionella	No/m <sup>3</sup>	2134	1084	3525	1283	1645
2.	Bacteriastrum	No/m <sup>3</sup>	1953	2542	5380	1624	2131
3.	Biddulphia	No/m³	1257	930	1435	1850	1239
4.	Cerataulina	No/m <sup>3</sup>	3595	4053	2590	5014	2382
5.	Chaetoceros	No/m <sup>3</sup>	1482	1620	2371	2620	2255
6.	Coscinodiscus	No/m <sup>3</sup>	941	1253	1855	3014	1749
7.	Cyclotella	No/m <sup>3</sup>	629	810	939	742	697
8.	Ditylum	No/m <sup>3</sup>	523	492	536	691	702
9.	Fragillaria	No/m <sup>3</sup>	1274	1735	1492	1380	1168
10.	Lauderia	No/m <sup>3</sup>	749	810	924	773	894
11.	Leptocylindricus	No/m <sup>3</sup>	126	94	132	144	195
12.	Navicula	No/m <sup>3</sup>	3720	4530	3902	2840	2902
13.	Nitzschia	No/m <sup>3</sup>	164	192	185	163	171
14.	Planktoniella	No/m <sup>3</sup>	348	425	196	310	288
15.	Pleurosigma	No/m <sup>3</sup>	1510	1830	1642	1902	1746
16.	Rhizosolenia	No/m <sup>3</sup>	240	193	239	304	284
17.	Skeletonema	No/m <sup>3</sup>	9	10	13	17	12
18.	Thalassiothrix	No/m <sup>3</sup>	6246	7232	8200	6410	5932
19.	Triceratium	No/m <sup>3</sup>	122	235	184	193	157
20.	Other diatoms	No/m <sup>3</sup>	198	342	496	352	284
DINOFL	AGELLATES						
1.	Ceratium	No/m <sup>3</sup>	2284	2463	2872	2063	1982
2.	Dinophysis	No/m <sup>3</sup>	5	8	6	3	5
3.	Gymnodinium	No/m <sup>3</sup>	341	447	525	610	703
4.	Ornithoceros	No/m <sup>3</sup>	62	93	124	108	94
5.	Peridinium	No/m <sup>3</sup>	392	474	364	282	197
6.	Preperidinium	No/m <sup>3</sup>	240	220	283-	304	405
7.	Noctiluca	No/m <sup>3</sup>	147	183	195	250	183
BLUE G	REEN ALGAE						
1.	Blue Green Algae	No/m <sup>3</sup>	2	29	42	37	32
Biomas	s (wet weight)	mg/ m <sup>3</sup>					

Note: mg/ m<sup>3</sup> - milligram per cubic meter; No/ m<sup>3</sup> - numbers per cubic meter

## Phytoplankton community structure variability

Phytoplankton	S	N	d	J'	H' (log 2)
St.1	28	30693	3.67	0.89	3.81
St.2	28	34329	3.75	0.92	3.97
St.3	28	40647	4.12	0.94	4.20
St.4	28	35283	3.80	0.93	4.08
St.5	28	30434	3.65	0.87	3.85

## Marine Water Quality Monitoring At Single Mooring Point of M/s. MRPL in the Arabian Sea off Panambur, Mangalore

S	Total number of species (S)
Ň	Total number of individuals
d	Margalef's index
J'	Pielou's evenness index (J')
H'(log 2)	Shannon-Wiener diversity index

Diversity Shannon-Wiener	bits/individual
High	>4
Good	3-4
Moderate	3-2
Poor	2-1
Bad	1-0

## 2.4.4 ZOOPLANKTON DIVERSITY (No/m³) AND BIOMASS (mg/m³)

S.No	Fauna	Units	Station-1	Station-2	Station-3	Station-4	Station-5
1.	Tintinids	No/m <sup>3</sup>	2620	2912	3497	2853	2960
2.	Radiolarian	No/m <sup>3</sup>	1754	1910	1548	2015	2274
3.	Medusae	No/m <sup>3</sup>	420	595	492	483	461
4.	Siphonophores	No/m <sup>3</sup>	291	343	726	635	593
5.	Ctenophore	No/m <sup>3</sup>	542	482	1130	946	932
6.	Chaetognaths	No/m <sup>3</sup>	274	354	502	473	398
7.	Polychaetes	No/m <sup>3</sup>	919	1120	915	730	1040
8.	Cladocerans	No/m <sup>3</sup>	2470	2835	4201	3653	2981
9.	Copepod	No/m <sup>3</sup>	21490	24302	20532	19532	21553
10.	Copepod nauplius	No/m <sup>3</sup>	23905	25430	23853	20821	23004
11.	Lucifer	No/m³	2147	2247	2563	2836	2092
12.	Oikopleura sp.	No/m <sup>3</sup>	1535	1730	1950	1829	1921
13.	Fritillaria sp.	No/m <sup>3</sup>	361	465	503	438	394
14.	Fish Eggs	No/m <sup>3</sup>	257	448	693	1042	702
15.	Copepod egg	No/m <sup>3</sup>	20842	24568	27405	24194	23562
16.	Decapod Larvae	No/m <sup>3</sup>	34523	35713	34672	32543	31539
17.	Bivalve Larvae	No/m <sup>3</sup>	17	43	89	78	73
18.	Echinoderm Larvae	No/m <sup>3</sup> _	2	21	33	19	24
19.	Fish larvae	No/m <sup>3</sup>	349	429	284	392	385
20.	Chaetognath Larvae	No/m <sup>3</sup>	. 13	16	33	25	29
21.	Polychaete Larvae	No/m <sup>3</sup>	1024	1353	1930	1525	1710
22.	Other Zooplankton	No/m <sup>3</sup>	698	720	745	810	742
iomas	s (wet weight)	mg/ m <sup>3</sup>	116453	128036	128296	117872	119369

Note: mg/ m<sup>3</sup> - milligram per cubic meter; No/ m<sup>3</sup> - numbers per cubic meter

## Zooplankton community structure variability

			-1				
	Zooplankton	S	N	d	J'	H' (log 2)	
ĺ	St.1	22	116453	3.74	0.92	4.20	1

Marine Water Quality Monitoring At Single Mooring Point of M/s. MRPL in the Arabian Sea off Panambur, Mangalore

St.2	22	128036	4.06	0.95	4.27
St.3	22	128296	4.10	0.96	4.29
St.4	22	117872	3.79	0.88	4.19
St.5	22	119369	3.85	0.90	4.24

S	Total number of species (S)	
N	Total number of individuals	NO III
d	Margalef's index	-direction
J'	Pielou's evenness index (J')	
H'(log 2)	Shannon-Wiener diversity index	

Diversity Shannon-Wiener —	bits/individual
High	>4
Good	3-4
Moderate	3-2
Poor	2-1
Bad	1-0

## 2.4.5 MACROBENTHOS DIVERSITY (No/m²) AND BIOMASS (individual/m²)

S.No	Parameters monitored	Units	Station-1	Station-2	Station-3	Station-4	Station-5
MACRO	BENTHOS DIVERSITY		"				
I POLYC	CHAETES						
1.	Nephthys sp.	No/m <sup>2</sup>	125	143	179	165	186
2.	Nereis sp.	's No/m <sup>2</sup>	, 70	195	144	153	160
3.	Glycera sp.	No/m <sup>2</sup>	130	185	202	199	204
4.	Clymene sp.	No/m <sup>2</sup>	147	204	305	284	312
5.	Prionospio sp.	No/m <sup>2</sup>	42	77	93	69	74
6.	Sabellaria sp.	No/m <sup>2</sup>	97	84	102	95	107
7.	Eumice sp.	No/m <sup>2</sup>	35	56	89	88	74
SUBTOTAL		No/m <sup>2</sup>	646	944	1114	1053	1117
II MOLL	UCS						
1.	Meretrix sp.	No/m <sup>2</sup>	194	838	320	402	592
2.	Perna viridis	No/m <sup>2</sup>	143	427	239	360	293
3.	Donax sp.	No/m <sup>2</sup>	82	89	100	104	92
4.	Arca sp.	No/m <sup>2</sup>	79	1.05	148	162	107
5.	Trocus sp.	No/m <sup>2</sup>	110	124	139	183	153
6.	Teritella sp.	No/m <sup>2</sup>	132	175	240	195	204
7.	Cerithedia sp.	No/m <sup>2</sup>	64	93	115	184	97
8.	Cardium sp.	No/m <sup>2</sup>	88	143	240	362	248
9.	Dentalium sp.	No/m <sup>2</sup>	91	192	185	249	340
SUBTOT	AL	No/m <sup>2</sup>	983	2186	1726	2201	2126
II CRUS	TACEA					1	
1.	Metapenaeus sp.	No/m <sup>2</sup>	693	914	1590	892	1054
2.	Portunus sp.	No/m <sup>2</sup>	792	1053	1296	954	988

## Marine Water Quality Monitoring At Single Mooring Point of M/s. MRPL in the Arabian Sea off Panambur, Mangalore

3.	Urothoe sp.	No/m <sup>2</sup>	424	650	482	595	540
4.	Sphaeroma sp.	No/m <sup>2</sup>	352	502	689	709	692
5.	Eurydice sp.	No/m <sup>2</sup>	581	671	810	727	646
SUBTO	TAL	No/m <sup>2</sup>	2842	3790	4867	3877	3920
IV ECHI	NODERMATA						
1.	Ophiothrix sp.	No/m <sup>2</sup>	12	45	83	65	73
SUBTOTAL		No/m <sup>2</sup>	12	45	83	65	73
V MISC	CELLANEOUS						
1.	Crabs	No/m <sup>2</sup>	5	16	38	21	25
2.	Shrimps	No/m <sup>2</sup>	4	14	40	19	23
3.	Fishes	No/m <sup>2</sup>	8	120	165	80	96
4.	Mud tubes	No/m <sup>2</sup>	14	25	48	20	52
5.	Sand tubes	No/m <sup>2</sup>	69	30	125	137	120
- 6.	Egg cases	No/m <sup>2</sup>	392	420	582	420	398
SUBTO	TAL	No/m <sup>2</sup>	492	625	998	697 7	
Biomas	S	(Individuals/m²)	89.4	97.5	108.5	95.7	129.2

Note: No/ m<sup>2</sup> – numbers per square meter; Individuals/m<sup>2</sup> – Individuals per square meter

## Macro benthos diversity structure variability

Macro benthos	S	N	d	J'	H' (log 2)
St.1	22	4975	1.32	0.84	3.12
St.2	22	7590	1.97	0.88	3.47
St.3	22	8788	2.40	0.93	3.80
St.4	22	7893	2.05	0.90	3.53
St.5	22	7950	2.14	0.89	3.67

S	Total number of species (S)
N	Total number of individuals
d	Margalef's index
J'	Pielou's evenness index (J')
H'(log 2)	Shannon-Wiener diversity index

Diversity Shannon-Wiener	Lits/individual		
High	>4		
Good	3-4		
Moderate	3-2		
Poor	2-1		
Bad	1-0		

## 2.6 Bioassay test to estimate the toxicity (LC50) of surface seawater collected from the 5 stations

S.No.	Medium	Bivalve mollusc Green mussel, <i>Perna viridis</i> , 20 – 30 mm (Mortality)				
		24 h	48 h	72 h	96 h	
1	Control (Aged Sea water)	Nil	Nil	Nil	Nil	
2	Test Medium (St.1 Surface water)	Nil	Nil	Nil	Nil	

S.No.	Medium	Bivalve mollusc Green mussel, <i>Perna viridis</i> , 20 – 30 mm (Mortality)				
		24 h	48 h	72 h	96 h	
1	Control (Aged Sea water)	Nil	Nil	Nil	Nil	
2	Test Medium (St.2 Surface water)	Nil	Nil	Nil	Nil	

S.No.	Medium	Bivalve mollusc Green mussel, <i>Perna viridis</i> , 20 – 30 mm (Mortality)				
		24 h	48 h	72 h	96 h	
1	Control (Aged Sea water)	Nil	Nil	Nil	Nil	
2	Test Medium (St.3 Surface water)	Nil	Nil	Nil	Nil	

S.No.	Medium	Bivalve mollusc Green mussel, <i>Perna viridis</i> , 20 – 30 mm (Mortality)				
		24 h	.48 h	72 h	96 h	
1	Control (Aged Sea water)	Nil	Nil	Nil	Nil	
2	Test Medium (St.4 Surface water)	Nil	Nil	Nil	Nil	

S.No	Medium	Bivalve mollusc Green mussel, <i>Perna viridis</i> , 20 – 30 mm (Mortality)				
		24 h	48 h	72 h	96 h	
1	Control (Aged Sea water)	Nil_	Nil	Nil	Nil	
2	Test Medium (St.5 Surface water)	Nil	Nil	Nil	Nil	